



## HAILO HOBBYSTEP COMBI

Aluminium 3-section combination ladder.


### THE KEY FEATURES

- Versatile - can be used as a simple, extension or double ladder
- Spring-assisted locking hook with transport safety mechanism
- Non-slip surface contact feet
- Sturdy crosspiece with large claw feet

---

### OTHER PRODUCT ADVANTAGES

- Length and crossprofiled rungs
- Maximum load capacity 150 kg



## SPECIFICATIONS

Level of equipment		3
Can be used as lean-to ladder or free-standing ladder		✓
Can be used in a free-standing position		✓
Can be used as lean-to ladder		✓
Locking hook with transport locking mechanism		✓
Material		Aluminium / steel / plastic
Number of rungs		3 x 12
Width/depth required for setting up lean-to ladder		A = 127 cm, B = 213 cm
Width/depth required for setting up extending ladder		A = 127 cm, B = 216 cm
Height of lean-to ladder		795 cm
Height of extending ladder		544 cm
Max. working height		895 cm



Max. working height of trestle ladder		430 cm
Max. working height of lean-to ladder		893 cm
Max. working height of extending ladder		589 cm
Dimensions of packaging (HxWxD)		A = 347 cm, B = 48 cm, C = 19 cm
Weight		27,0 kg